

Fendt Superior Transmission Oil 10W-30

Applications

Fendt Superior Transmission Oil 10W-30 is a UTTO that has been specifically developed to fulfill the requirements of FWN 81001. It can be used in hydraulic, transmission, PTO and wet brakes of tractors and off-highway equipment. It is backwards compatible for transmission applications, hydraulic systems applications, wet brake applications and clutch applications where Fendt Extra Trans 10W-40 and 15W-40 as well as Fendt Super Hyd are used.

* Fendt Superior Transmission Oil 10W-30 is a UTTO technology, cannot be used as engine oil. To find a suitable product please refer to the Fendt engine oil range

Specifications

Fendt Antifreeze Extra meets the requirements of both the ASTM D3306 and BS 6580:2010 – standards and the following OEM specifications:

FWN 81001
CMS M1145
G2-A22

Typical Characteristics

Density@15°C	0.870 g/cm ³	ASTM D4052
Viscosity @ 100°C	11.2 cSt.	ASTM D445
Viscosity @ 40°C	66 cSt.	ASTM D445
Viscosity Index	164	ISO 2909
Viscosity CCS @ -25°C	6100 mPa.s	ASTM D5293
Brookfield @ -35°C	32800 mPa.s	ASTM D2983
Pour Point	-45°C	ISO 3016
Flash Point COC	242°C	ASTM D92

The above figures are typical of those obtained with normal production tolerances and do not constitute a specification.

Storage

All packages should be stored under cover. Where outside storage is unavoidable drums should be laid horizontally to avoid the possible ingress of water and damage to drum markings. Products should not be stored above 60°C, exposed to hot sun or freezing conditions.

Health, Safety and Environment

Product-specific information on health, safety and the environment is written down in the material safety data sheet. It describes possible hazards, safety precautions and first aid measures. In addition, possible environmental impacts of the products, as well as the disposal of the products are explained. Make sure that the product is used solely for the specified purpose.

This Product Information Sheet contains details considered to be accurate at the date of printing. No warranty or representation, expressed or implied, is made as to the accuracy or completeness of the data and information contained in this publication.

The Seller shall not be responsible for any loss or damage resulting from any hazards or risks identified in the data sheet and which are associated with petroleum products concerned (provided that this disclaimer shall not affect any statutory rights of the Buyer of the petroleum products concerned).

It is the User's obligation to evaluate and use products safely and within the scope advised in the data sheet and to comply with all applicable laws and regulations. No statement made in this publication shall be construed as a permission, recommendation or authorisation given or implied to practice any patented invention without a valid licence.

You should always refer to the relevant machine Operators Instruction Manual and only use correct specifications advise.

Date Created: 11th April 2024 F/SUP/01 Page 2 of 2