



MASSEY FERGUSON

Product Information Sheet:

Date: 03/08/2020

Ref: MF/AH46/04

MF Agri Hyd 46 Hydraulic Oil

Massey Ferguson references:

3933074M1 20 ltr
3933072M1 205 ltr
3933385M1 1000 ltr IBC
3933321M1 Bulk

Applications

Recommended for both Industrial and off highway hydraulic systems, where extreme operating conditions are encountered. Can also be used in hydrostatic drives, power steering systems, brake systems and other applications where products of this type and specification required.

Main Benefits

1. Outstanding low temperature performance
2. Multigrade properties, lubrication film maintained at high temperatures
3. Excellent Filterability
4. Latest anti-wear and EP technology
5. Good thermal stability

Specifications

DIN 51524 Part 3 (HVLP)
Eaton I-286-S3, M-2950-S
Denison HF-0 dry and wet T6C-020
Denison HF-1, HF-2

Poclain (HV 46)
AFNOR E48-603 (HV:HM)

Storage

All packages should be stored under cover. Where outside storage is unavoidable drums should be laid horizontally to avoid the possible ingress of water and the obliteration of drum markings. Products should not be stored above 60°C, exposed to hot sun or freezing conditions.

Health, Safety and Environment

Health, safety and environmental information is provided for this product in the Materials Safety Data Sheet. This gives details of potential hazards, precautions and First Aid measures, together with environmental effects and disposal of used products.

You should ensure that the product is only used for the purpose specified.

Typical Characteristics

Appearance	Blue
Density at 15 °C	0.868
Viscosity at 100 °C, cSt.	8.93
Viscosity at 40 °C, cSt.	50.01
Viscosity Index	>155
Flash Point (closed) °C	199
Pour Point, °C	-42

The above figures are typical of those obtained with normal production tolerance and do not constitute a specification.

This Product Information Sheet contains details considered to be accurate at the date of printing. No warranty or representation, expressed or implied, is made as to the accuracy or completeness of the data and information contained in this publication.

The Seller shall not be responsible for any loss or damage resulting from any hazards or risks identified in the data sheet and which are associated with petroleum products concerned (provided that this disclaimer shall not affect any statutory rights of the Buyer of the petroleum products concerned).

It is the User's obligation to evaluate and use products safely and within the scope advised in the data sheet and to comply with all applicable laws and regulations. No statement made in this publication shall be construed as a permission, recommendation or authorisation given or implied to practice any patented invention without a valid licence.

You should always refer to the relevant machine Operators Instruction Manual and only use correct specifications advised